

08-14-00

08/11/00  
09/637397  
00/IT/00

08/11/00  
09/637397  
00/IT/00

THE ASSISTANT COMMISSIONER OF PATENTS  
Washington, D.C. 20231

DOCKET NUMBER: ROC920000093US1  
August 11, 2000

Sir:

Transmitted herewith for filing is the Patent Application of:

Inventor: Cary Bates et al.

For: SYSTEM, METHOD, AND PROGRAM FOR RECORDING PRESENTABLE DATA ACCESSED THROUGH INTERACTIVE LINKS DISPLAYED BY AN INTERACTIVE TELEVISION PROGRAM

Enclosed are:

- ☒ Patent Specification and Declaration
- ☒ 7 sheets of drawing(s).
- ☒ An assignment of the invention to International Business Machines Corporation (includes Recordation Form Cover Sheet).
- ☐ A certified copy of a application.
- ☐ Information Disclosure Statement, PTO 1449 and copies of references.

The filing fee has been calculated as shown below:

For	Number Filed	Number Extra	Rate	Fee
Basic Fee				\$690
Total Claims	21	- 20	1	x 18 = \$ 18
Indep. Claims	3	- 3		x 78 = \$
MULTIPLE DEPENDENT CLAIM PRESENTED			x 270 =	\$
			TOTAL	\$708.00

- ☒ Please charge IBM Corporation Deposit Account No. 09-0465 in the amount of \$708.00. A duplicate copy of this sheet is enclosed.
- ☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to IBM Corporation Deposit Account 09-0465. A duplicate copy of this sheet is enclosed.
- ☒ Any additional filing fees required under 37 CFR §1.16.
- ☒ Any patent application processing fees under 37 CFR §1.17.

CERTIFICATE OF MAILING BY "EXPRESS MAIL" UNDER 37 CFR § 1.10


"Express Mail" mailing label number: EL453463947US

Date of Mailing: August 11, 2000

I hereby certify that the documents indicated below are being deposited with the United States Postal Service under 37 CFR 1.10 on the date indicated above and are addressed to Box Patent Applications, Assistant Commissioner of Patents, Washington, D.C. 20231 and mailed on the above Date of Mailing with the above "Express Mail" mailing label number.

Marty Bower  
(name of person mailing paper)

SIGNATURE of person mailing paper or fee

By   
Steven Lin, Registration No. 35,250.  
FELSMAN, BRADLEY, VADEN, GUNTER & DILLON, LLP  
Suite 350 Lakewood on the Park  
7600B North Capital of Texas Highway  
Austin, Texas 78731  
Telephone (512) 343-6116

SYSTEM, METHOD, AND PROGRAM FOR RECORDING PRESENTABLE DATA  
ACCESSED THROUGH INTERACTIVE LINKS DISPLAYED BY AN  
INTERACTIVE TELEVISION PROGRAM

BACKGROUND OF THE INVENTION

1. Technical Field:

The present invention relates in general to interactive television, and, in particular, to recording and playing back interactive television programs. Still more particularly, the present invention relates to a system, method, and program for recording and playing back presentable data accessed through interactive links displayed by an interactive television program.

2. Description of the Related Art:

Interactive television is a video and audio technology that allows a user to interact with television programs. Interactive television involves broadcasting television programs containing links to networked information, such as web pages, that a viewer may selectively access. Examples of interactive television include web TV, Internet access, video on demand, and video conferencing. Web TV allows a user to view a web TV program, and while viewing the web TV program, activate links to the Internet or World Wide Web embedded in the program to retrieve and display web pages associated with the links. A web TV program generally is received utilizing an interactive television set-top box, which is a device that converts a broadcast television signal into an input video signal for display by a television set. The set-top box also allows a user to access and view pages of

the World Wide Web through an interactive television communication device, such as a modem device, coupled to an interactive television communication line, such as a telephone or cable television line, that provides networked access to the World Wide Web. The set-top box converts and displays the broadcast television signal to display web pages on the television.

To record interactive television programs, a video recording device, such as a video cassette recorder (VCR), is typically interposed between the set-top box and the television set. When the VCR is set to record a television program, the VCR records the data of the web TV program, which may be in Moving Pictures Experts Group (MPEG) format, for later display on the television set. The existing recording technology also allows information viewed on the television screen that resulted from the user activating links to networked information (e.g., web pages) to be recorded. However, existing VCRs cannot record the networked information for any links that were not displayed or viewed on the television screen. Existing VCRs consequently do not allow the viewer to interact with a recorded television program in the same way as a live broadcast program since existing VCRs do not record the data associated with any links in which the associated data were not displayed by the television set. For example, the viewer uses the VCR to record a television show having links to the World Wide Web. When the viewer plays back the web TV program on the VCR, the viewer may activate a link within the recorded web TV program being played back on the television set. The VCR will then access or attempt to access through the set-top box the web page (e.g., web address) on the World Wide Web associated with the activated link. In addition, when the viewer plays back a recorded web TV program, the links

displayed within the web TV program may have changed or may no longer exist.

Therefore, the present invention recognizes the need to record and play back interactive television programs in a manner that more closely resembles the programs during the original broadcast. In particular, the present invention recognizes the need to record and play back presentable data accessible through interactive links that are displayed within an interactive television program.

## SUMMARY OF THE INVENTION

5 A system, method, and program product for recording  
presentable data accessed through interactive links  
displayed within an interactive television program are  
disclosed. In accordance with the present invention, an  
interactive television recording device receives an  
interactive television signal containing one or more  
interactive links associated with presentable data. In  
10 response to receipt of a record command, the interactive  
television recording device records the interactive  
television program, and the presentable data associated  
with the one or more interactive links are accessed and  
recorded into a designated storage medium.

15 In a preferred embodiment, the interactive television  
signal and the one or more interactive links are stored on  
a first data storage medium, while the presentable data  
are separately stored on a second data storage medium. If  
20 a play command is received, the interactive television  
recording device plays the interactive television signal  
from the first data storage medium. If the user activates  
an interactive link, the interactive television recording  
device retrieves and plays the presentable data associated  
25 with the interactive link from the second data storage  
medium.

30 The above as well as additional objects, features,  
and advantages of the present invention will become  
apparent in the following detailed written description.

## BRIEF DESCRIPTION OF THE DRAWINGS

The novel features believed characteristic of the invention are set forth in the appended claims. The invention itself however, as well as a preferred mode of use, further objects and advantages thereof, will best be understood by reference to the following detailed description of an illustrative embodiment when read in conjunction with the accompanying drawings, wherein:

**Figure 1** is a block diagram of an exemplary system for recording and playing back presentable data accessed through interactive links displayed within an interactive television program in accordance with the present invention;

**Figure 2** is a more detailed block diagram of an exemplary embodiment of the interactive television recording device in the system of **Figure 1**;

**Figure 3** is a more detailed block diagram of an exemplary interactive television set-top box in the system of **Figure 1**;

**Figure 4** is a flow chart of an exemplary method and program function for operating the interactive television recording device and the interactive television set-top box of **Figure 3** in accordance with the present invention;

**Figure 5** is a flow chart of a more detailed, exemplary method and program function for the recording operation in the method and program function of **Figure 4**;

5

10

15

[illegible]

## DETAILED DESCRIPTION OF ILLUSTRATIVE EMBODIMENT

With reference now to **Figure 1**, an exemplary system 100 for recording and playing back presentable data accessed through interactive links within an interactive television program is shown. System 100 of **Figure 1** includes an interactive television recording device ("ITRD") 104 coupled to an interactive television set-top box ("ITSB") 106, which is in turn coupled to an interactive television display ("ITD") 108, such as an interactive television set. An interactive television set may be a conventional television set coupled to an interactive set-top box. A communication link 105 transmits user commands from ITSB 106 to ITRD 104. Interactive television signal 102 is received by ITRD 104, which passes interactive television signal 102 to ITSB 106. ITSB 106 is a device that converts interactive television signal 102 to an input signal for display of the interactive TV program by ITD 108. ITSB 106 also allows the user to access the World Wide Web and display web pages on ITD 108.

Interactive television signal 102 is a broadcast signal for providing interactive television programs, such as web TV programs, to ITD 108. Within the interactive television programs broadcast through interactive television signal 102, links, such as hyperlinks, may be displayed so that the user is able to select the links and access networked information. Networked information may include web pages, files, scripts, or documents that contain images, phrases, words, symbols, or other elements.



To record an interactive television program within interactive television signal 102, the user inputs a record command into ITSB 106, which transmits the record command to ITRD 104. ITRD 104 responds to the record command by recording the data for the interactive television program onto a first data storage medium, such as a first track of a video tape. ITRD 104 also records the links that may be displayed within the interactive television program onto the first data storage medium. The links within the interactive TV program are directly associated with addresses (e.g., Uniform Resource Locators ("URLs")) of interactive television sites, such as web sites. ITRD 104 further records the data associated with the links, preferably separately from the data for the interactive television program. For example, the data associated with the link may be recorded on a second data storage medium, such as a second track of the video tape. Exemplary data associated with a link would be the Hypertext Markup Language ("HTML") data that defines a web page located at an address.

To play back the interactive television program stored on the data storage medium, the user inputs a playback command into ITSB 106, which forwards the playback command to ITRD 104. In response to the playback command, ITRD 104 retrieves the data for the interactive television program from the first data storage medium (e.g., the first track of a video tape) and causes the data, including any links, to be displayed by ITD 108. ITRD 104 also allows the user to selectively display the data associated with the links from the second data storage medium (e.g., the second track of the video tape) when the user selects links during the play back of the interactive television program.

Referring now to **Figure 2**, a more detailed block diagram of an exemplary ITRD **104** is shown. Exemplary ITRD **104** includes an interactive television ("TV") transceiver **206**, which receives interactive television ("TV") signal **102**. Interactive TV transceiver **206** transmits interactive TV signal **102** to ITSB **106**. Audio pre-amplifier ("audio pre-amp") **208** and video pre-amplifier ("video pre-amp") **210** are coupled to interactive TV transceiver **206**. Interactive TV transceiver **206** splits interactive TV signal **102** into a video signal and an audio signal.

Video pre-amp **210** receives and amplifies the video-in signal to produce a video-out signal. Video head **212** receives the amplified video-out signals. Video head **212** reads from and writes video data to a program storage medium, such as to a video track of a video cassette **240**.

Audio pre-amp **208** receives and amplifies the audio-in signal to produce an audio-out signal. The audio-out signal may be separated into two signals: a normal audio signal and a hi-fi audio signal. The normal audio signal is typically read from or written to a normal audio track **1110** (as shown in **Figure 8**) of video cassette **240** while the hi-fi audio signal is read from or written to a hi-fi audio track **1106** (as shown in **Figure 8**). Depending on the quality of the broadcast or recorded signal, the user may choose between a normal audio mode or a hi-fi audio mode. ITRD **104** includes both a high fidelity ("hi-fi") head **216** and a normal audio head **222** to read from and write to normal audio and hi-fi audio tracks **1110** and **1106**, respectively.

Hi-fi head 216 is coupled to switches 214 and 218. Switch 214 may be activated along a switch path 214A to couple hi-fi head 216 to the video-out signal from interactive TV transceiver 206 or may alternatively be activated along a switch path 214B to couple hi-fi head 216 to a program storage medium, such as video cassette 240. Furthermore, switch 218 may be activated along a switch path 218A to couple hi-fi head 216 to the audio-out signal from audio pre-amp 208 to or may alternatively be activated along a switch path 218B to couple hi-fi head 216 to program storage medium, such as video cassette 240. Normal audio head 222 is further coupled to switches 220 and 224. Switch 220 may be activated along a switch path 220A to couple normal audio head 222 to the video-out signal from interactive TV transceiver 206 or may alternatively be activated along a switch path 220B to couple normal audio head 222 to program storage medium, such as video cassette 240. Also, switch 224 may be activated along a switch path 224A to couple normal audio head 222 to the audio-out signal from audio pre-amp 208 or may alternatively be activated along a switch path 224B to couple normal audio head 222 to program storage medium, such as video cassette 240.

An interactive television ("TV") recording device controller 228 is coupled to hi-fi head 216 via switches 214 and 218 and is coupled to normal audio head 222 via switches 220 and 224. Interactive TV recording device controller 228 is further coupled to video head 212. Interactive TV recording device controller 228 controls

the operations (e.g., record, playback, rewind, forward, stop, pause) performed by ITRD 104. Interactive TV recording device controller 228 controls switches 214 and 218 to switch hi-fi head 216 between handling and processing the data associated with the links within interactive TV signal 102 and the audio signal of interactive TV signal 102. Interactive TV recording device controller 228 respectively controls switches 220 and 224 to switch normal audio head 222 between handling and processing the audio signal of interactive TV signal 102 and the data associated with the links within interactive TV signal 102.

For example, if interactive TV recording device controller 228 is programmed to activate switch 214 to switch path 214A, switch 218 to switch path 218B, switch 220 to switch path 220B, and switch 224 to switch path 224A (as shown in Figure 2), then hi-fi track 1106 of video cassette 240 stores or retrieves the data associated with the links within interactive TV signal 102 and normal audio track 1110 of video cassette 240 stores or retrieves the audio signal of interactive TV signal 102. In this case, the paths that result from the activated paths of switches 214, 218, 220, and 224 allow hi-fi head 216 to write the link data within the video-out signal to or read the link data within the video-out signal from the hi-fi track of program storage medium, such as video cassette 240, and further allow normal audio head 222 to write the audio-out signal to or read the audio-out signal from normal audio track 1110 of program storage medium, such as video cassette 240. Alternatively, if interactive TV

recording device controller 228 is programmed to activate switch 214 to switch path 214B, switch 218 to switch path 218A, switch 220 to switch path 220A, and switch 224 to switch path 224B, then hi-fi track 1106 of video cassette 240 stores or retrieves the audio signal of interactive TV signal 102 and normal audio track 1110 of the video tape stores or retrieves the data associated with the links within interactive TV signal 102. In this situation, the paths that result from the activated paths of switches 214, 218, 220, and 224 allow hi-fi head 216 to write the audio-out signal to or read the audio-out signal from hi-fi track 1106 of video cassette 240 and allow normal audio head 222 to write the link data within the video-out signal to or read the link data within the video-out signal from normal audio track 1110 of video cassette 240.

ITRD controller 228 is coupled to a control bus 238. The video tape portion of video cassette 240, which may contain both the first and second storage mediums (e.g., at least two separate tracks of the video tape), is able to interface with video head 212, hi-fi head 216, and normal audio head 222. A tape motor controller and motor unit 227 is also coupled to control bus 238. Tape motor controller and motor unit 227 drives the reels of video cassette 240 to move the video tape in the desired forward or rewind/reverse direction. Video head 212, hi-fi head 216, and normal audio head 222 reads interactive TV signals 102 from or writes interactive TV signals 102 to a series of oblique tracks 1129 as shown in Figure 8. Heads 212, 216, and 222 are positioned to read and write in the direction indicated by an arrow 1128 as shown in Figure 8

so that heads 212, 216, and 222 properly read from or write to oblique tracks 1129.

5 A memory device 230, a central processing unit ("CPU") 232, and a network controller 234 are also coupled to control bus 238. Memory device 230 provides ITRD 104 with data storage. CPU 232 and ITRD controller 228 control the overall operation of ITRD 104, such as the play, record, rewind, forward, stop, and pause functions of ITRD 104. Network controller 234 controls the communication between ITRD 104 and the interactive network (e.g., Internet or World Wide Web). A port 236 couples ITRD 104 to ITSB 106.

15 With reference now to **Figure 3**, a more detailed block diagram of an exemplary embodiment of ITSB 106 is shown. As stated earlier, ITSB 106 is a device that converts interactive television signal 102 to an input signal suitable for display by ITD 108 and that also allows the user to access the World Wide Web and display web pages on ITD 108. ITSB 106 includes an interactive TV transceiver 306, which is coupled to an interactive TV display controller 308 that is, in turn, coupled to a control bus 324. A port 315 leading to ITD 108 is also coupled to control bus 324. Interactive TV transceiver 306 receives interactive television ("TV") signal 102 from ITRD 104 and transmits and processes interactive TV signal 102 for display onto ITD 108 through port 315. Interactive TV display controller 308 controls the display of the interactive TV program from interactive TV signal 102 by

ITD 108 through port 315.

ITSB 106 also includes an interactive television ("TV") communication device 314, such as a modem, coupled to control bus 324. Interactive TV communication device 314 is coupled to a network communication line 315, which provides ITSB 106 with access to an interactive television ("TV") network, such as the Internet or World Wide Web. A central processing unit ("CPU") 320, a memory device 310, and user interface controls 322, such as a keyboard, a mouse, and/or web surfing controller, are also coupled to control bus 324. Memory device 310 is used for storage and for caching data associated to a link, and a central processing unit ("CPU") 320 is utilized for controlling operation of ITSB 106. An interactive television ("TV") network controller 318 is further coupled to control bus 324. Interactive TV network controller 318 controls the communication between ITSB 106 and the interactive TV network (e.g., the Internet or World Wide Web) received through network communication line 315. An user utilizes user interface controls 322 to select a link to retrieve and display data associated with the link from the interactive TV network through communication link 105 onto ITD 108. CPU 320 and memory device 310 receive and process the selection of the link by retrieving the data associated with the link from the interactive TV network through network communication line 315 and interactive TV communication device 314 and by storing the data to memory device 310. Interactive TV network controller 318 then controls display of the data from memory device 310 by ITD 108 through port 315.

A port 316 leading to an interactive TV recording device, such as ITRD 104, is also coupled to interactive TV network controller 318. ITRD 104 is coupled to ITSB 106 through port 316. Communication link 105 is coupled to port 316 in order to couple ITRD 104 to ITSB 106. The user enters a command for ITRD 104, such as a record, playback, forward, reverse, stop, or pause command, through user interface controls 322. CPU 320 directs the command from ITSB 106 to ITRD 104 through port 316 and communication link 105. ITRD 104 then receives and correspondingly responds to the command by performing the requested operation based on the received command.

Referring now to **Figure 4**, a flow chart of an exemplary method 400 and program function for operating exemplary ITSB 106 of **Figure 3** and ITRD 104 of **Figure 4** in accordance with the present invention is shown. The program according to method 400 is stored in a memory device, such as memory devices 230 and 310, and is executed by one or more processor, such as CPUs 232 and 320. The program has a control program that is encoded in a computer usable media, such as a memory device 230 or 310, that causes ITSB 106 and/or ITRD 104 to perform the steps of method 400.

Method 400 starts at block 402 and proceeds to block 404, which shows ITSB 106 receiving a user command through user interface controls 322 and also receiving interactive TV signal 102 through interactive TV transceiver 206. Following block 404, block 405 depicts ITSB 106 forwarding the user command to ITRD 104. Method 400 next proceeds to



decision block 406, which depicts a determination of whether the user command is a stop command. If a determination is made at decision block 406 that the user command is a stop command, then method 400 moves from decision block 406 to block 408, which represents ITRD 104 stopping the current operation. Method 400 then ends at block 420. However, if a determination is made at decision block 406 that the user command is not a stop command, then method 400 proceeds from decision block 406 to decision block 410.

Decision block 410 shows a determination of whether interactive TV signal 102 contains links (e.g., hyperlinks). If a determination is made at decision block 410 that interactive TV signal 102 does not contain links, then method 400 moves from decision block 410 to blocks 412, 414, and 415. Block 412 depicts that if the user command is a record command, then ITRD 104 records interactive TV signal 102 on program storage medium, such as video cassette 240 having a video tape 1100. Block 414 shows that if the user command is instead a play command, then ITRD 104 plays interactive TV signal 102 stored on program storage medium, such as video cassette 240. Block 415 represents that if the user command is any other command, then ITRD 104 handles such other command in the appropriate manner. Method 400 then ends at block 420.

Returning to block 410, if a determination is made that interactive TV signal 102 does contain links, then method 400 instead moves from decision block 410 to blocks 416, 418, and 419. Block 416 depicts that if the user

command is a record command, then ITRD 104 records interactive TV signal 102 in a first data storage medium, such as a video signal recording band 1104 and normal audio track 1110 of video tape 1100 in Figure 8. ITRD 104 also records data associated with the links on a second data storage medium, such as hi-fi audio track 1106 of video tape 1100 in Figure 8. Block 418 shows that if the user command is a play command, then ITRD 104 plays and displays on ITD 108 interactive TV signal 102 from the first data storage medium, such as video signal recording band 1104 and normal audio track 1110 of video tape 1100. ITRD 104 allows access to the data associated with the links from the second data storage medium, such as hi-fi audio track 1106 of video tape 1100, and displays the data on ITD 108 when the links are selected (e.g., when the user "clicks" on the links). Block 419 represents that if the user command is any other command, then ITRD 104 handles such other command in the appropriate manner. Method 400 finally ends at block 420.

Referring now to Figure 5, a flow chart of a more-detailed, exemplary method 500 and program function for the recording operation of method 400 is shown. The program has a control program that is encoded in a computer usable media, such as a memory device 230 or 310, that causes ITSB 106 and/or ITRD 104 to perform the steps of method 500. Method 500 starts at block 502 and then proceeds to block 504, which shows that ITSB 106 receives the record command from user interface controls 322 and also receives interactive TV signal 102. Method 500 then proceeds to block 506, which depicts ITSB 106 forwarding

the record command to ITRD 104. ITRD 104, in turn, receives the record command and also receives interactive TV signal 102. Following block 506, block 508 shows ITRD 104 receiving and storing a page or frame from interactive TV signal 102 into a first data storage medium (e.g., video signal recording band 1104 and normal audio track 1110).

Method 500 then moves to block 510. Block 510 illustrates that if a link exists in the stored page or frame, then ITSB 106 selects all links associated with the link up to a pre-determined maximum level (e.g., up to N levels) and accesses all data associated with the links up to the pre-determined level. Also, ITRD 104 stores the link and the associated links up to the pre-determined maximum level into a link list onto program storage medium, such as video cassette 240, and further stores all data related to the associated links up to the pre-determined level onto a second data storage medium (e.g., hi-fi audio track 1106).

For example, referring to Figure 6, an exemplary, hierarchical tree 600 illustrating links that are related to a link in a retrieved page or frame up to a pre-determined maximum link level is shown. Hierarchical tree 600 illustrates links that are related to a link 1A at link level 1 for a retrieved page or frame up to a maximum link level 3 (e.g., N equals three (3)). In method 500, ITRD 104 stores links 1A, 2A, 2B, 2C, 3A, 3B, 3C, 3D, 3E, and 3F in a link list on program storage medium, such as video cassette 240. ITRD 104 associates and stores the data associated with links 1A, 2A, 2B, 2C, 3A, 3B, 3C, 3D,

3E, and 3F into the second data storage medium (e.g., hi-fi audio track 1106). Thus, ITRD 104 stores all links and data related to links that are associated with link levels 1, 2, and 3. However, ITRD 104 does not store any links or data associated with links beyond link level 3.

Returning to **Figure 5**, method 500 proceeds from block 510 to decision block 512, which depicts a determination of whether another link exists on the page or frame from interactive TV signal 102. If a determination is made at decision block 512 that there is another link in the page or frame, then method 500 returns to block 510, and block 510 is repeated for another link. However, if a determination is made at decision block 512 that the page or frame does not contain another link, then method 500 proceeds to decision block 514. Decision block 514 depicts a determination whether interactive TV signal 102 contains another page or frame. If so, then method 500 returns to block 508, and the method steps at blocks 508, 510, and 512 are repeated for another page or frame. On the other hand, if the determination is made at decision block 514 that another page or frame does not exist, such as when a stop command terminates recording (e.g., at the end of the program or when the user depresses a "stop" button), then method 500 ends at block 516.

With reference now to **Figure 7**, a flow chart of a more detailed, exemplary method 700 and program function for the playback operation in method 400 is shown. The program has a control program that is encoded in a computer usable media, such as a memory device 230 or 310,

that causes ITSB 106 and/or ITRD 104 to perform the steps of method 700. Method 700 starts at block 701 and then moves to block 702, which depicts ITSB 106 receiving the play command from user interface controls 322. ITSB 106 forwards the play command to ITRD 104, and ITRD 104 receives the play command. Method 700 then proceeds to block 704, which shows that in response to the play command, ITRD 104 retrieves and displays on ITD 108 a page or frame of interactive TV signal 102 that is stored within the first data storage medium (e.g., video signal recording band 1104 and normal audio track 1110). Following block 704, block 706 illustrates ITRD 104 retrieving from a link list and displaying within the retrieved page or frame all links (e.g., link 1A), if any exist, at the highest link level for the retrieved page or frame (e.g., link level 1 in Figure 6).

Method 700 next moves to decision block 708, which represents a determination of whether a link within the retrieved page or frame has been selected by the user through user interface controls 322. If the determination is made at decision block 708 that a link has been selected (e.g., link 1A in Figure 6 has been selected), then method 700 moves from decision block 708 to block 710. Block 710 illustrates that ITRD 104 retrieves from the second data storage medium (e.g., hi-fi audio track 1106) and displays data associated to the selected link (e.g., link 1A in Figure 6) on ITD 108. ITRD 104 further allows the user through utilization of user interface controls 322 to navigate any links (e.g., links 2A, 2B, 2C, 3A, 3B, 3C, 3D, 3E, and 3F) related to the selected

link (e.g., link 1A in **Figure 6**) up to a pre-determined maximum level (e.g., maximum link level 3). If the user utilizing user interface controls 322 attempts to select any of the associated links beyond the pre-determined maximum level (e.g., beyond link level 3), then ITRD 104 displays on ITD 108 an error message indicating that the data for the selected link is inaccessible or, alternatively, ITRD 104 attempts to retrieve and display the page for the associated link from the Internet or World Wide Web. Method 700 then moves from block 710 to decision block 712. On the other hand, if the determination is made at decision block 708 that a link has not been selected, then method 700 moves directly from decision block 708 to block 712.

Decision block 712 illustrates a determination made whether another page or frame from interactive TV signal 102 stored on the first data storage medium exists. If a determination is made at decision block 712 that such another page or frame does exist, then method 700 returns to block 704 and repeats the method steps in blocks 704, 706, 708, and 710 for another page or frame. On the other hand, if a determination is made at decision block 712 that such another page or frame does not exist, such as when the user play command has been switched to a stop command (which may have been either user activated or activated by the end of the play of interactive TV signal 102 from program storage medium, such as video cassette 240), then method 700 ends at block 718.

With reference now to **Figure 8**, a portion of a video tape 1100 on which data for an interactive television

program from interactive TV signal 102 are stored is shown. Video tape 1100 is transported in the direction indicated by arrow 1126 by tape motor controller and motor 227 of ITRD 104. Video tape 1100 has a width 1102 and includes a video signal recording band 1104 with front and back overlapping bands 1114 and 1116. Video signal recording band 1104 has a contact band 1124 with which at least video head 212 makes contact. Video tape 1100 also has an audio track 1122, including a hi-fi audio track 1106 and a normal audio track 1110. Hi-fi head 216 makes contact with hi-fi audio track 1106 while normal audio head 222 makes contact with normal audio track 1110. A first guard band 1108 exists between hi-fi audio track 1106 and normal audio track 1110. A second guard band 1112 exists between audio track 1122 and video signal recording band 1104. Video tape 1100 further has a control track 1120. A third guard band 1118 exists between control track 1120 and video signal recording band 1104. Guard bands 1108, 1112, and 1118 exist as conventional separations between the other tracks and bands of video tape 1100. Heads 212, 216, and 222 utilize guard bands 1108, 1112, and 1118 to guide in reading from or writing to the correct band or track of video tape 1100.

ITRD controller 228 may be programmed to control hi-fi head 216 and normal audio head 222 so that hi-fi head 216 is setup for reading and writing presentable data associated with the links from and to hi-fi audio track 1106 of video tape 1100, while normal audio head 222 is setup for reading and writing the audio signal of

interactive TV signal 102 from and to normal audio track 1110. Alternatively, ITRD controller 228 may be programmed to control hi-fi head 216 and normal audio head 222 so that hi-fi head 216 is setup for reading and writing the audio signal of interactive TV signal 102 from and to hi-fi audio track 1106, while normal audio head 222 is setup for reading and writing the presentable data associated with the links from and to normal audio track 1110.

Referring now to **Figure 9**, a segment 1103 of video tape 1100 in which the data associated with links are stored on hi-fi audio track 1106 is shown. The same page or frame of interactive TV signal 102 may be stored over segment 1103 of video tape 1100. For efficient storage, data associated with a link(s) for segment 1103 are cached into memory device 310 of ITSB 106 as the data is stored during a record operation to or retrieved during a playback operation from hi-fi audio track 1106. If the user activates a link during the playback of segment 1103, then the data associated with the link(s) are retrieved from memory device 310 which stores the cached data. Alternatively, if the data associated with the link(s) are not found in memory device 310, then ITSB 106 attempts to retrieve and display the current page(s) associated to the link(s) from the Internet or World Wide Web.

The present invention discloses a system, method, and program product for recording presentable data accessed through interactive links displayed within an interactive television program. The present invention allows a VCR or other recording device to record the networked information



for links that were not necessarily displayed or viewed on the television screen and also allows the user to interact with the television program much the same way as when it was originally broadcast. The present invention allows the data associated with any links to be recorded and later played back up to a pre-determined or pre-set linking level. The present invention is not in any way limited to a VCR or video tape technology, and the present invention may be used or adapted to be utilized with any suitable recording medium that records and plays back interactive television signals, such as digital recording devices, digital versatile disks (DVDs), compact disks (CDs), disks, and other memory devices.

While the invention has been particularly shown and described with reference to a preferred embodiment, it will be understood by those skilled in the art that various changes in form and detail may be made therein without departing from the spirit and scope of the invention. For example, although aspects of the present invention have been described with respect to a computer system executing software that directs the functions of the present invention, it should be understood that the present invention may alternatively be implemented as a program product for use with a data processing system. Programs defining the functions of the present invention can be delivered to a data processing system via a variety of signal-bearing media, which include, without limitation, non-rewritable storage media (e.g., CD-ROM), rewritable storage media (e.g., a floppy diskette or hard disk drive), and communication media, such as digital and analog networks. It should be understood, therefore, that such signal-bearing media, when carrying or encoding computer readable instructions that direct the functions of the present invention, represent alternative embodiments of the present invention.

**CLAIMS:**

What is claimed is:

1. A method for recording presentable data accessed through interactive links displayed within an interactive television program, said method comprising:

receiving, by an interactive television recording device, an interactive television signal containing at least one interactive link associated with presentable data; and

in response to a record input, accessing said presentable data associated with said at least one interactive link and recording said presentable data into a data storage medium.

1        2. The method according to Claim 1, wherein said data  
2        storage medium is a second data storage medium, and  
3        wherein said recording step further comprises:

4                separately storing said interactive television signal  
5        and said at least one interactive link into a first data  
6        storage medium.

1        3. The method according to Claim 2, wherein said storing  
2        step further comprises:

3                storing said interactive television signal and said  
4        at least one interactive link on a first track of a video  
5        tape; and

6                storing said presentable data elsewhere on said video  
7        tape other than said first track.

8        4. The method according to Claim 2, further comprising:

9                in response to a user play command for activating  
10        playing said interactive television signal by said  
1        interactive television recording device, playing said  
2        interactive television signal from said first data storage  
3        medium; and

4                in response to said user activating said at least one  
5        interactive television link, retrieving and playing said  
6        presentable data associated with said at least one  
7        interactive link from said second data storage medium.

8        5. The method according to Claim 1, wherein the data  
9        storage medium is a second data storage medium, and  
10        wherein:

4           said receiving step further comprises receiving, by  
5           said interactive television recording device, a plurality  
6           of frames for said interactive television signal;

7           said recording step further comprises:

8  
9           storing, by said interactive television  
10          recording device, said frames and said at least one  
11          associated interactive link for said frames into a first  
12          data storage medium; and

13          storing, by said interactive television  
14          recording device, each set of said presentable data  
15          associated with each of said at least one interactive link  
16          into said second data storage medium.

17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191

1 8. A system for recording presentable data accessed  
2 through interactive links displayed by an interactive  
3 television program, said system comprising:

4 an interactive television recording device having an  
5 interactive television transceiver for receiving an  
6 interactive television signal that includes at least one  
7 interactive link associated with presentable data, a write  
8 device for writing said interactive television signal to a  
9 first data storage medium, a data write device for writing  
10 said presentable data to a second data storage medium; and

11 wherein in response to a record input, said  
12 interactive television transceiver accesses said  
13 presentable data associated with said at least one  
14 interactive link and said data write device records said  
15 presentable data into said second data storage medium.

00TFS0" 26E990

1           9. The system according to Claim 8 wherein:

2               said write device stores said interactive television  
3 signal and said at least one interactive link on a first  
4 track of a video tape; and

5               said data write device stores said presentable data  
6 elsewhere on said video tape other than said first track.

1           10. The system according to Claim 8, wherein the  
2 interactive television recording device further comprises:

3               a read device for reading said interactive television  
4 signal from the first data storage medium; and

5               a data read device for reading said presentable data  
6 from the second data storage medium; and

7               wherein, in response to a user play command for  
8 activating playing said interactive television signal by  
9 said interactive television recording device, said read  
10 device retrieves and plays said interactive television  
11 signal from said first data storage medium; and

12               wherein, in response to said user activating said at  
13 least one interactive television link, said data read  
14 device retrieves and plays said presentable data  
15 associated with said at least one interactive link from  
16 said second data storage medium.

1           11. The system according to Claim 8 wherein:

2               said interactive television transceiver receives a  
3 plurality of frames for said interactive television  
4 signal;

5           said write device stores said frames and said at  
6           least one associated interactive link for said frames into  
7           said first data storage medium; and

8           said data write device stores each set of said  
9           presentable data associated with each of said at least one  
10          interactive link into said second data storage medium.

1          12. The system according to Claim 8, wherein at least one  
2          page of said presentable data includes at least another  
3          one interactive link, and wherein said system further  
4          comprises:

5           said write device stores said at least another one  
6           interactive link into said first data storage medium; and

7           said data write device separately stores a set of  
8           presentable data associated with said at least another one  
9           interactive link into said second data storage medium.

10         13. The system according to Claim 8, wherein said  
11         interactive television recording device further comprises:

12           a network communication device for accessing data for  
13           a web site from a network.

14         14. The system according to Claim 8, further comprising:

15           an interactive television set-top box having a signal  
16           processor and a network adapter;

17           wherein said interactive television set-top box is  
18           coupled to said interactive television recording device;  
19           and

20           wherein said signal processor processes said

9 interactive television signal for display and provides  
10 communication to a network through the network adapter to  
11 access data related to the at least one interactive link.

1 15. A program product for recording presentable data  
2 accessed through interactive links displayed by an  
3 interactive television program, said program product  
4 comprising:

5 a control program encoded within a computer usable  
6 media that causes an interactive television recording  
7 device to perform the steps of:

8 receiving an interactive television signal containing  
9 at least one interactive link associated with presentable  
10 data; and

11 in response to a record input, accessing said  
12 presentable data associated with said at least one  
13 interactive link and recording said presentable data into  
14 a data storage medium.



1 16. The program product according to Claim 15, wherein  
2 said data storage medium is a second data storage medium,  
3 and wherein said recording step further comprises:

4 separately storing said interactive television signal  
5 and said at least one interactive link into a first data  
6 storage medium.

1 17. The program product according to Claim 16, wherein  
2 said storing step further comprises:

3 storing said interactive television signal and said  
4 at least one interactive link on a first track of a video  
5 tape; and

6 storing said presentable data elsewhere on said video  
7 tape other than said first track.

8 18. The program product according to Claim 16, wherein  
9 said control program is encoded within said computer  
10 usable media that causes said interactive television  
11 recording device to further perform the steps of:

12 in response to a user play command for activating  
13 playing said interactive television signal by said  
14 interactive television recording device, playing said  
15 interactive television signal from said first data storage  
16 medium; and

17 in response to said user activating said at least one  
18 interactive television link, retrieving and playing said  
19 presentable data associated with said at least one  
20 interactive link from said second data storage medium.

1 19. The program product according to Claim 15, wherein  
2 the data storage medium is a second data storage medium,

and wherein:

said receiving step further comprises receiving, by said interactive television recording device, a plurality of frames for said interactive television signal;

said recording step further comprises:

storing, by said interactive television recording device, said frames and said at least one associated interactive link for said frames into a first data storage medium; and

storing, by said interactive television recording device, each set of said presentable data associated with each of said at least one interactive link into said second data storage medium.

20. The program product according to Claim 15, wherein at least one page of said presentable data includes at least another one interactive link, and wherein said control program is encoded within said computer usable media that causes an interactive television recording device to further perform the steps of:

storing said at least another one interactive link into said first data storage medium; and

separately storing a set of presentable data associated with said at least another one interactive link into said second data storage medium.

21. The program product according to Claim 15, wherein said accessing step further comprises accessing data for a web site.

ABSTRACT OF THE DISCLOSURE  
SYSTEM, METHOD, AND PROGRAM FOR RECORDING PRESENTABLE DATA  
ACCESSED THROUGH INTERACTIVE LINKS DISPLAYED BY AN  
INTERACTIVE TELEVISION PROGRAM



5

10

001130 " 4667650

25

A system, method, and program product for recording presentable data accessed through interactive links displayed within an interactive television program are disclosed. In accordance with the present invention, an interactive television recording device receives an interactive television signal containing one or more interactive links associated with presentable data. In response to receipt of a record command, the interactive television recording device records the interactive television program, and the presentable data associated with the one or more interactive links are accessed and recorded into a designated storage medium. In a preferred embodiment, the interactive television signal and the one or more interactive links are stored on a first data storage medium, while the presentable data are separately stored on a second data storage medium. If a play command is received, the interactive television recording device plays the interactive television signal from the first data storage medium. If the user activates an interactive link, the interactive television recording device retrieves and plays the presentable data associated with the interactive link from the second data storage medium.






FIGURE 3




FIGURE 4

001100" 05/02/96




FIGURE 5




FIGURE 6



001130 464650




FIGURE 7




FIGURE 8




FIGURE 9

DECLARATION AND POWER OF ATTORNEY FOR  
PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

SYSTEM, METHOD, AND PROGRAM FOR RECORDING PRESENTABLE DATA ACCESSED THROUGH INTERACTIVE LINKS DISPLAYED BY AN INTERACTIVE TELEVISION PROGRAM

the specification of which (check one)

X is attached hereto.

       was filed on \_\_\_\_\_  
as Application Serial No. \_\_\_\_\_  
and was amended on \_\_\_\_\_  
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

Priority Claimed

\_\_\_\_\_  
(Number)                      (Country)                      (Day/Month/Year)                             Yes        No

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in Title 37, Code of Federal

001180 2626550

Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial #)

(Filing Date)

(Status)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

Roy W. Truelson, Reg. No. 34,265; Steven W. Roth, Reg. No. 34,712; James R. Nock, Reg. No. 42,937; William J. McGinnis, Jr., Reg. No. 25,698; Christopher A. Hughes, Reg. No. 26,914; John E. Hoel, Reg. No. 26,279; Joseph C. Redmond, Jr., Reg. No. 18,753; Andrew J. Dillon, Reg. No. 29,634; Daniel E. Venglarik, Reg. No. 39,409; Jack V. Musgrove, Reg. No. 31,986; Brian F. Russell, Reg. No. 40,796; Matthew W. Baca, Reg. No. 42,277; Antony P. Ng, Reg. No. 43,427; Michael R. Barre, Reg. No. 44,023; Andrew Mitchell Harris, Reg. No. 42,638; Richard McCain, Reg. No. 43,785; and Michael Noe, Reg. No. 44,975.

Send correspondence to: Andrew J. Dillon ,FELSMAN, BRADLEY, VADEN, GUNTER & DILLON, LLP, Suite 350 Lakewood on the Park, 7600B North Capital of Texas Highway, Austin, Texas 78731, and direct all telephone calls to Andrew J. Dillon (512) 343-6116.

FULL NAME OF SOLE OR FIRST INVENTOR: Cary Lee Bates

INVENTORS SIGNATURE: Cary Lee Bates DATE: 8-9-00

RESIDENCE: 450 73rd Street N.W.  
Rochester, Minnesota 55901

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 450 73rd Street N.W.  
Rochester, Minnesota 55901

DOCKET NUMBER: ROC920000093US1

FULL NAME OF SECOND INVENTOR: Mahdad Majd

INVENTORS SIGNATURE: Mahdad Majd DATE: 8/8/2000

RESIDENCE: 2916 Stonegate Ct., S.W.  
Rochester, Minnesota 55902

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 2916 Stonegate Ct., S.W.  
Rochester, Minnesota 55902

FULL NAME OF THIRD INVENTOR: John Matthew Santosuosso

INVENTORS SIGNATURE: John Matthew Santosuosso DATE: 8/8/2000

RESIDENCE: 1402 30th Street N.W.  
Rochester, Minnesota 55901

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 1402 30th Street N.W.  
Rochester, Minnesota 55901